

## Refine Search

### Search Results -

Term	Documents
(45 AND 35).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1
(L45 AND L35).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L50

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Wednesday, March 15, 2006   [Printable Copy](#)   [Create Case](#)

Set  
Name Query  
 side by  
 side

Hit  
Count  
Set  
Name  
 result  
 set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L50</u>	L45 and l35	1	<u>L50</u>
<u>L49</u>	L45 and l30	6	<u>L49</u>
<u>L48</u>	L45 and l8	1	<u>L48</u>
<u>L47</u>	L45 and l7	13	<u>L47</u>
<u>L46</u>	L45 and l6	22	<u>L46</u>
<u>L45</u>	L43 and updat\$5 near8 indicat\$5	135	<u>L45</u>
<u>L44</u>	L43 and l6	261	<u>L44</u>
<u>L43</u>	L39 near35 register near15 (portion\$1 or field\$1 or bit\$1 or segment\$1)	1046	<u>L43</u>
<u>L42</u>	L39 near55 register near15 (portion\$1 or field\$1 or bit\$1 or segment\$1)	1048	<u>L42</u>
<u>L41</u>	L39 near55 register near15 (portion\$1 or field41 or bit\$1 or segment\$1)	892	<u>L41</u>
<u>L40</u>	L39 and register near15 (portion\$1 or field41 or bit\$1 or segment\$1)	17195	<u>L40</u>

<u>L39</u>	context\$1 (updat\$5 or chang\$5 or modif\$5) near25 (halt\$4 or inhibit\$4 or stop\$4 or refrain\$6) near8 (transfer\$3 or send\$3 or sent)	404554	<u>L39</u>
<u>L38</u>	context\$1 (updat\$5 or chang\$5 or modif\$5) near55 (halt\$4 or inhibit\$4 or stop\$4 or refrain\$6) near8 (transfer\$3 or send\$3 or sent)	405067	<u>L38</u>
<u>L37</u>	context\$1 (uodat\$5 or chang\$5 or modif\$5) near55 (halt\$4 or inhibit\$4 or stop\$4 or refrain\$6) near8 (transfer\$3 or send\$3 or sent)	404598	<u>L37</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			
<u>L36</u>	L35 and l29	4	<u>L36</u>
<u>L35</u>	(710/21-35)[CCLS]	3292	<u>L35</u>
<u>L34</u>	l29 and l8	0	<u>L34</u>
<u>L33</u>	l29 and l7	13	<u>L33</u>
<u>L32</u>	l29 and l6	57	<u>L32</u>
<u>L31</u>	l29 and l30	3	<u>L31</u>
<u>L30</u>	(711/144-173)![CCLS]	14699	<u>L30</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L29</u>	L27 and (halt\$4 or inhibit\$4 or stop\$4 or refrain\$6) near8 (transfer\$3 or send\$3 or sent)	89	<u>L29</u>
<u>L28</u>	L27 near45 (halt\$4 or inhibit\$4 or stop\$4 or refrain\$6) near8 (transfer\$3 or send\$3 or sent)	0	<u>L28</u>
<u>L27</u>	updat\$5 near8 indicat\$5 near12 register near15 (portion\$1 or field41 or bit\$1 or segment\$1)	467	<u>L27</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			
<u>L26</u>	l2 and l8	1	<u>L26</u>
<u>L25</u>	l2 and l7	2	<u>L25</u>
<u>L24</u>	l2 and l6	8	<u>L24</u>
<u>L23</u>	L19 and l1	9	<u>L23</u>
<u>L22</u>	L19 and l2	0	<u>L22</u>
<u>L21</u>	L19 and l3	0	<u>L21</u>
<u>L20</u>	L19 and l15	0	<u>L20</u>
<u>L19</u>	(711/169-173)[CCLS]	3677	<u>L19</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L18</u>	L15 and l8	5	<u>L18</u>
<u>L17</u>	L15 and l7	5	<u>L17</u>
<u>L16</u>	L15 and l6	33	<u>L16</u>
<u>L15</u>	L14 and decod\$5	122	<u>L15</u>
<u>L14</u>	L1 and (select\$5) near5 (address\$3 or location\$1) near12 result\$3	123	<u>L14</u>
<u>L13</u>	L2 and (select\$5) near5 (address\$3 or location\$1) near12 result\$3	8	<u>L13</u>
<u>L12</u>	l3 and result\$3 near4 register	0	<u>L12</u>
<u>L11</u>	result\$3 near4 register near45 l8	0	<u>L11</u>
<u>L10</u>	result\$3 near4 register and l8	377	<u>L10</u>
<u>L9</u>	result\$3 near4 regiaster and l8	0	<u>L9</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			

<u>L8</u>	(712/225,241)[CCLS]	812	<u>L8</u>
<u>L7</u>	(712/208-219)[CCLS]	3100	<u>L7</u>
<u>L6</u>	(712/2-300)[CCLS]	11934	<u>L6</u>
<u>L5</u>	(712/2-300)![CCLS]	11934	<u>L5</u>
<u>L4</u>	(712/2-300)[CCLS]	11934	<u>L4</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L3</u>	L2 and (select\$5) near5 (address\$3 or location\$1)	44	<u>L3</u>
<u>L2</u>	L1 near35 decod\$5	94	<u>L2</u>
	(parallel\$6 or concurrent\$4 or simultaneous\$2) near12 (subgroup\$4 or sub		
<u>L1</u>	near1 set\$1 or sub near1 block\$1 or word\$1 byte\$1 or sub near1	1724	<u>L1</u>
	instruction\$1) near9 (partition\$7 or divid\$5 or broken or break\$5 or split\$5)		

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((status, context\*, state\*, condition\*) &lt;near/8&gt; (indicat\*, updat\*, modif\*, chang\*)&lt;..."))

Your search matched 4 of 9968 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order. [e-mail](#)

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((((status, context\*, state\*, condition\*) &lt;near/8&gt; (indicat\*, updat\*, modif\*, chang\*)&lt;

[Search](#)☐ Check to search only within this results set

Display Format:



Citation



Citation &amp; Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **Architectural and multiprocessor design verification of the PowerPC 604 data cache**  
Cai, G.Z.N.;  
Computers and Communications, 1995. Conference Proceedings of the 1995 IEEE Fourteenth Annual Phoenix Conference on  
28-31 March 1995 Page(s):383 - 388  
Digital Object Identifier 10.1109/PCCC.1995.472464  
[AbstractPlus](#) | Full Text: [PDF](#)(500 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **Spectral and angular features of radiating diffused by pumping in the field of zero dispersion**  
Gaida, L.S.; Svistun, A.C.;  
Advanced Optoelectronics and Lasers, 2003. Proceedings of CAOL 2003. First International Conference  
Volume 2, 2003 Page(s):88 - 92 vol.2  
Digital Object Identifier 10.1109/CAOL.2003.1251272  
[AbstractPlus](#) | Full Text: [PDF](#)(286 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **A high I/O reconfigurable crossbar switch**  
Young, S.; Alfke, P.; Fewer, C.; McMillan, S.; Blodget, B.; Levi, D.;  
Field-Programmable Custom Computing Machines, 2003. FCCM 2003. 11th Annual IEEE Symposium  
9-11 April 2003 Page(s):3 - 10  
[AbstractPlus](#) | Full Text: [PDF](#)(3138 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. **Using airborne and satellite data for multitemporal studies of land degradation**  
Ray, T.W.; Farr, T.G.; Blom, R.G.; Crippen, R.E.; DeJong, E.M.;  
Geoscience and Remote Sensing Symposium, 1994. IGARSS '94. 'Surface and Atmospheric Remote Sensing Technologies Data Analysis and Interpretation'. International  
Volume 1, 8-12 Aug. 1994 Page(s):125 - 127 vol.1  
Digital Object Identifier 10.1109/IGARSS.1994.399056  
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE CNF  
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

